

Aug 16th, 11:20 AM - 11:45 AM

Hydrogen in transportation applications

Amber Broch

Desert Research Institute, Amber.Broch@dri.edu

Follow this and additional works at: <https://digitalscholarship.unlv.edu/res>



Part of the [Oil, Gas, and Energy Commons](#)

Repository Citation

Broch, Amber, "Hydrogen in transportation applications" (2007). *UNLV Renewable Energy Symposium*. 6. <https://digitalscholarship.unlv.edu/res/2007/aug16/6>

This Event is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Event in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Event has been accepted for inclusion in UNLV Renewable Energy Symposium by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact digitalscholarship@unlv.edu.

Hydrogen in Transportation Applications

Amber Broch



OVERVIEW

- Project background and description
- Investigation of codes and standards for hydrogen and CNG for fueling facilities, testing facilities, storage and infrastructure.
- ADVISOR modeling software
- CNG and HCNG vehicle performance and emissions testing.
- Next Steps

H₂ Transportation Project Description


- Funded by NREL through the NSWEP Program.
- Investigate practical aspects of hydrogen production, storage and use in transportation applications.
 - Infrastructure assessments
- Investigate performance and emissions tradeoffs of CNG and HCNG.
- Collaborate with NREL to contribute data to technical data archive, update vehicle modeling tool.
- Collaborate with Washoe County Regional Transportation Commission (RTC) in their efforts to deploy hydrogen fueled fleet.
- Coordinate with NSWEP DRI REC project.

Partners/ Collaborators

- Washoe County Regional Transportation Commission (RTC)
 - Vehicles
 - Fuel (CNG)
 - Maintenance and Support
- Collier Technologies
 - HCNG conversion
 - Testing support and data analysis
- Jones West Ford
 - Use of chassis dynamometer
 - Maintenance


Infrastructure Assessment

- Infrastructure assessment for location of H₂ production, fueling or vehicle testing facility at DRI-REC
 - Permitting requirements
 - Codes and Standards
 - Station layout and suggested design
- Assessment of feasibility of various hydrogen production approaches at DRI-REC.
- Cost assessment and additional requirements for indoor testing facility.



Vehicle Description

- RTC donated two vehicles from their retired Paratransit fleet.
- 1998 Ford E-350 5.4L V8 ICE CNG, after-market conversion.
- 3,600 psi, 5 tanks store about 100 nominal gallons ~ 100-180 miles.
- Wheelchair lift requires additional 200 Amp alternator and 12 V battery.
- 250,000 + miles.



Testing and Modeling Overview

- 4 Phases of Performance and Emissions Testing
 - Two CNG vehicles “as-is”
 - Two baseline CNG vehicles with rebuilt engines.
 - One supercharged CNG vehicle.
 - One HCNG converted vehicle.
- Data collected will be interpreted into fuel and emissions maps that can be used in ADVISOR.
- Validate model with test results.




HCNG Conversion

- Collier Technologies
- HCNG– 30% Hydrogen by volume
- Supercharger w/ EGR, timing
- Emissions benefits, performance drawbacks.

Vehicle Modeling in ADVISOR

AVL AVL AVL

advisor 2004



Results figure

Componen

fuel_converter

plot control

Plot Variable (Select Axis)

fc_brake_trq

of plots ...

Fuel Economy (mpg)

1.6

Gasoline Equivalent

5.1

Distance (miles)

1.9

Emissions

Standards

HC

CO

NOx

PM

0

0

24.962

0

Acceleration Test

0-60 mph (s):

n/a

Max. Accel. n/a

20-60 mph (s):

n/a

Distance in 5s n/a

40-60 mph (s):

n/a

Time in 0.25mi (s): n/a

Max. Speed (mph): n/a

Gradeability:

n/a %

Energy Use Figure

Output Check Plots

Compare Results With:

Sim Data

Test Data

Warnings/ Messages

Missed Trace by > 2 mph (3.2 km/h)

Trace Miss Analysis:

Replay

Back Two

Help

Rank

Exit

Vehicle Modeling

- Preliminary CNG and HCNG modeling.
 - No data specific for 5.4L CNG
 - No data for HCNG
 - Data from an 8.1 L CNG/ HCNG converted engine was input and used.
- Update model with performance and emissions data from testing of both CNG and HCNG.
 - Fuel consumption/ efficiency maps
 - Emissions maps

Vehicle Testing

- Four phases of testing
 - Baseline testing of CNG vehicles prior to installation of rebuilt engines
 - CNG testing both vehicles with rebuilt engines
 - Supercharged CNG testing—one vehicle
 - HCNG testing— one vehicle
- Chassis dynamometer testing
 - IM240 drive cycle
 - Steady point tests to develop maps
 - Maximum power curve testing.
- Road testing –0-55 mph performance testing.



Testing Equipment

- AutoEnginuity OBDII Scanner
 - Vehicle Speed
 - Engine Speed
 - Mass Air Flow
 - Throttle Position
- 5 Gas Analyzer
 - CO₂
 - CO
 - O₂
 - NO_x
 - HC
 - Lambda
 - RPM
 - Exhaust Temp
- Dynamometer Software
 - Engine RPM (via tach.)
 - Horsepower (from rollers)
 - Vehicle speed (roller speed)



Results To-Date

- Testing of baseline CNG vehicle.
- Testing of supercharged CNG vehicle.
- Conversion to HCNG.

Next Steps

- Testing of HCNG vehicle.
- Developing engine and emissions map to update ADVISOR model
- Modeling hybrid vehicles.



Southwest Energy Partnership

Creating Renewable Energy Centers in the American Southwest




THANKS!

www.nswep.org


Maximum Power

Max Torque and Power Curves Supercharged CNG v. Baseline CNG




Performance Results

CNG v. Supercharged CNG 0-55 mph Acceleration Tests



Vehicle Maintenance



Additional Problems: Cold starts, batteries, ABS