


4-27-2005

Effect of Silicon Content on the Corrosion Resistance and Radiation-Induced Embrittlement of Materials for Advanced Heavy Liquid Metal Nuclear Systems: Quarterly Progress Report (November 2004 – January 2005)

Ajit K. Roy

University of Nevada, Las Vegas, aroy@unlv.nevada.edu

Follow this and additional works at: https://digitalscholarship.unlv.edu/hrc_trp_sciences_materials

 Part of the [Metallurgy Commons](#), [Nuclear Engineering Commons](#), and the [Oil, Gas, and Energy Commons](#)

Repository Citation

Roy, A. K. (2005). Effect of Silicon Content on the Corrosion Resistance and Radiation-Induced Embrittlement of Materials for Advanced Heavy Liquid Metal Nuclear Systems: Quarterly Progress Report (November 2004 – January 2005). 1-3.

Available at: https://digitalscholarship.unlv.edu/hrc_trp_sciences_materials/130

This Report is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Report in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Report has been accepted for inclusion in Transmutation Sciences Materials (TRP) by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact digitalscholarship@unlv.edu.

Quarterly Progress Report
(November 2004 – January 2005)

**Effect of Silicon Content on the Corrosion Resistance and Radiation-Induced
Embrittlement of Materials for Advanced Heavy Liquid Metal
Nuclear Systems**

Principal Investigator

Ajit K. Roy, Ph.D.

Associate Professor

Department of Mechanical Engineering

Graduate Students

Debajyoti Maitra (Ph.D.)

Pankaj Kumar (Ph.D.)

Harish Krishnamurthy (M.S.)

Department of Mechanical Engineering

University of Nevada, Las Vegas (UNLV)

April 27, 2005

Effect of Silicon Content on the Corrosion Resistance and Radiation-Induced Embrittlement of Materials for Advanced Heavy Liquid Metal Nuclear Systems

Introduction

The purpose of this collaborative research project involving the University of Nevada Las Vegas (UNLV), Los Alamos National Laboratory (LANL) and Idaho State University (ISU) is to evaluate the effect of silicon (Si) content on the corrosion behavior and radiation-induced embrittlement of martensitic stainless steels having chemical compositions similar to that of the modified 9Cr-1Mo steel. Recent studies at LANL involving Alloy EP-823 of different Si content have demonstrated that increased Si content in this alloy may enhance the corrosion resistance in molten lead-bismuth-eutectic (LBE). Since very little data exists in the open literature on the beneficial effect of Si content on the corrosion properties, it seemed appropriate to initiate a research project to address this technical issue. This proposal is intended to study the effect of Si content not only on the corrosion resistance but also on the radiation-induced embrittlement of martensitic stainless steels. The susceptibility of these alloys with different Si content to stress corrosion cracking, general corrosion and localized corrosion will be evaluated in the molten LBE and aqueous environments of different pH values using state-of-the-art testing techniques. Testing in the aqueous media is intended to develop baseline data for comparison purpose. Radiation-induced embrittlement of these alloys will initially be studied by irradiating the test specimens with bremsstrahlung gamma radiation from 20-40 MeV electron beams at ISU. These gammas induce (γ , n) reactions in the giant dipole energy region. The principal radiation damage from these irradiations, in turn, stems from the recoiling residual nucleus (with average kinetic energy of approximately 20,000 eV) after the neutrons are emitted. The high penetrability of gammas, whose range is of order one meter in steel, ensures that the resulting damage will be uniform over the volume of the sample. The induced activity of these specimens will have very short half-lives (typically minutes) due the systematics of (slightly) proton-rich nuclei. The resulting radiation-induced hardening can subsequently be evaluated by proper experimental techniques. Later, similar studies can be performed using specimens radiated by neutrons at LANL.

Personnel

The current project participants are listed below.

Principal Investigator (PI): Dr. Ajit K. Roy
Department of Mechanical Engineering, UNLV
Phone: (702) 895-1463 email: aroy@unlv.nevada.edu

Other Investigators (UNLV): Debajyoti Maitra, Ph.D. Student, Mechanical Engineering
Pankaj Kumar, Ph.D. Student, Mechanical Engineering
Harish Krishnamurthy, M.S. Student, Mechanical Engineering

Debajyoti: Phone: (702) 510-9927 email: debu_jyoti@yahoo.com
Pankaj: Phone: (702) 510-9927 email: Pankaj2198@yahoo.co.in
Harish: Phone: (702) 292-6230 email: hkmurthy@gmail.com

Accomplishments

- Four experimental heats of martensitic alloys (similar to Mod9Cr-1Mo) with different Si content (0.5, 1.0, 1.5 and 2.0 weight percent) have been melted by vacuum-induction melting (VIM) practice at the Timken Research Laboratory.
- The VIM heats have been processed into round and rectangular bars, followed by thermal treatments. The heat treatments consisted of austenitizing, quenching, tempering and air cooling to develop a fully-tempered martensitic microstructure in all heats.
- Fabrication of test specimens has been initiated.
- Literature review on relevant topics is in progress.

Problem

No problems are anticipated.

Status of Funds

Expenditures incurred during this quarter are within the target amount allocated.

Plans for the Next Quarter

- Machine different types of specimens for metallurgical and corrosion studies
- Initiate testing
- Continue literature search