



Effect of Stocking Density on the Growth, Survival, and Settlement of Sandfish Sea Cucumber (*Holothuria scabra*)

## Journal of Health Disparities Research and Practice

Volume 9  
Issue 5 Special Issue - NIDDK STEP UP

Article 31

© Center for Health Disparities Research, School of Public Health, University of Nevada, Las Vegas

2016

# Effect of Stocking Density on the Growth, Survival, and Settlement of Sandfish Sea Cucumber (*Holothuria scabra*)

Quilan Cantero

Manoj Nair, PhD , *College of Micronesia Land Grant Program*

Justino Smith , *College of Micronesia*

Follow this and additional works at: <https://digitalscholarship.unlv.edu/jhdrp>



Part of the [Bilingual, Multilingual, and Multicultural Education Commons](#), [Community College Leadership Commons](#), [Higher Education Commons](#), [Immune System Diseases Commons](#), [Public Health Commons](#), [Translational Medical Research Commons](#), and the [Virus Diseases Commons](#)

### Recommended Citation

Cantero, Quilan; Nair, PhD, Manoj; and Smith, Justino (2016) "Effect of Stocking Density on the Growth, Survival, and Settlement of Sandfish Sea Cucumber (*Holothuria scabra*)," *Journal of Health Disparities Research and Practice*: Vol. 9: Iss. 5, Article 31.

Available at: <https://digitalscholarship.unlv.edu/jhdrp/vol9/iss5/31>

This Article is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Article in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Article has been accepted for inclusion in Journal of Health Disparities Research and Practice by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact [digitalscholarship@unlv.edu](mailto:digitalscholarship@unlv.edu).

---

## Effect of Stocking Density on the Growth, Survival, and Settlement of Sandfish Sea Cucumber (*Holothuria scabra*)

### Abstract

The US Affiliated Pacific Islands of Micronesia have several commercially important species of sea cucumbers in their water including the sandfish sea cucumbers, *Holothuria scabra*. Due to their commercial importance, they have been widely exploited and are in the danger of being extinct.

The College of Micronesia Land Grant Program has undertaken the development of hatchery-based sandfish sea cucumber farming technology for local community based economic development, future commercialization, and restocking the depleted stocks in the wild.

In this regard, an experiment was conducted to find out the effect of different stocking densities on the growth, survival, and settlement of sandfish sea cucumber larvae. Larvae were stocked at 1000, 500, 250, and 125 larvae in triplicates in 15 liter buckets. The experiment was run for 20 days at the end of which growth, survival, and settlement were tabulated for each treatment. After spawning, the larvae were obtained from the spawning of 45 broodstocks which were retrieved from the wild. The larval rearing was maintained in 15 liter buckets with four replication (15,000, 7,500, 3,750 and 1,875) larvae in three buckets for each treatment. The buckets subsequently changed water after two days and were fed with proportion of algae based on the stocking density. The settlement rate was counted after 5 days when introduced algamag plates. The results significantly show that the main factor affecting survival and growth is the stocking density and water environment. Therefore, the experiment should be continued to give evident results for which stocking density is more appropriate.

### Keywords

Growth; Survival; Settlement; Sandfish Sea Cucumber (*Holothuria scabra*)



**Journal of Health Disparities Research and Practice**  
**Volume 9, Special Edition 1, Summer 2016, pp. 49-50**  
© 2011 Center for Health Disparities Research  
School of Community Health Sciences  
University of Nevada, Las Vegas

## **Effect of Stocking Density on the Growth, Survival, and Settlement of Sandfish Sea Cucumber (*Holothuria scabra*)**

Quilan Cantero

Manoj Nair, Ph.D., College of Micronesia Land Grant Program (NIFA, USDA), Aquaculture Research, College of Micronesia – FSM

Justino Smith, College of Micronesia – FSM

**Coordinating Center:** University of Hawaii John A. Burns School of Medicine

### **ABSTRACT**

The US Affiliated Pacific Islands of Micronesia have several commercially important species of sea cucumbers in their water including the sandfish sea cucumbers, *Holothuria scabra*. Due to their commercial importance, they have been widely exploited and are in the danger of being extinct.

The College of Micronesia Land Grant Program has undertaken the development of hatchery-based sandfish sea cucumber farming technology for local community based economic development, future commercialization, and restocking the depleted stocks in the wild.

In this regard, an experiment was conducted to find out the effect of different stocking densities on the growth, survival, and settlement of sandfish sea cucumber larvae. Larvae were stocked at 1000, 500, 250, and 125 larvae in triplicates in 15 liter buckets. The experiment was run for 20 days at the end of which growth, survival, and settlement were tabulated for each treatment. After spawning, the larvae were obtained from the spawning of 45 broodstocks which were retrieved from the wild. The larval rearing was maintained in 15 liter buckets with four replication (15,000, 7,500, 3,750 and 1,875) larvae in three buckets for each treatment. The buckets subsequently changed water after two days and were fed with proportion of algae based on the stocking density. The settlement rate was counted after 5 days when introduced algal plates. The results significantly show that the main factor affecting survival and growth is the stocking density and water environment. Therefore, the experiment should be continued to give evident results for which stocking density is more appropriate.

**Key words:** Growth, Survival, Settlement, Sandfish Sea Cucumber (*Holothuria scabra*)

50 Effect of Stocking Density on the Growth, Survival, and Settlement of Sandfish Sea Cucumber

Cantero, Nair, and Smith

#### **ACKNOWLEDGEMENTS**

The STEP-UP HS program is supported by the National Institute of Diabetes and Digestive and Kidney Diseases of the National Institutes of Health, Grant number: R25DK078386