

Changes in Knowledge of HPV, Cervical Cancer, PAP Smears, and Attitudes Towards HPV vaccination from a Community-Based Intervention for Latinas

Journal of Health Disparities Research and Practice

Volume 12 Issue 5 Mountain West CTR-IN Special Issue

Article 14

© Center for Health Disparities Research, School of Public Health, University of Nevada, Las Vegas

2018

Changes in Knowledge of HPV, Cervical Cancer, PAP Smears, and Attitudes Towards HPV vaccination from a Community-Based Intervention for Latinas

Helen C. Tarp, Idaho State University Paula Phelps, Idaho State University Elizabeth Fore, Idaho State University

Follow this and additional works at: https://digitalscholarship.unlv.edu/jhdrp



Part of the Medicine and Health Sciences Commons

Recommended Citation

Tarp, Helen C.; Phelps, Paula; and Fore, Elizabeth (2018) "Changes in Knowledge of HPV, Cervical Cancer, PAP Smears, and Attitudes Towards HPV vaccination from a Community-Based Intervention for Latinas," Journal of Health Disparities Research and Practice: Vol. 12: Iss. 5, Article 14.

Available at: https://digitalscholarship.unlv.edu/jhdrp/vol12/iss5/14

This Article is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Article in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself.

This Article has been accepted for inclusion in Journal of Health Disparities Research and Practice by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact digitalscholarship@unlv.edu.

Changes in Knowledge of HPV, Cervical Cancer, PAP Smears, and Attitudes Towards HPV vaccination from a Community-Based Intervention for Latinas

Abstract

Purpose/Background: Latinas are 20% less likely to receive the HPV vaccine and, in Idaho, are 35% more likely to die of cervical cancer than non-Latinas -16.2/100,000 in Latinas vs. 7.6/100,000 non-Latinas-. Research indicates that this disparity is due to low health literacy, and barriers of language, culture, and poverty. This project's purpose was to assess the efficacy of a community-based intervention designed to increase rural Idaho Latina health literacy about cervical cancer prevention and detection, about the Women's Health Check program, and to assess participant attitudes towards child HPV vaccination.

Materials & Methods: Investigators trained six bilingual Latinas from rural SE Idaho as promotoras. Project investigators and promotoras created videos in English and in Spanish providing information about cervical cancer prevention, detection, treatment, the HPV vaccine, and the Women's Health Check Program. The promotoras identified Latina participants (n=44) from their communities, delivered educational materials in participant homes and at schools, and administered pre and post video surveys to assess changes in knowledge, attitudes and perceptions of cervical cancer, the Pap test, and the HPV vaccine. Participants, who were all Latinas, chose either English or Spanish language materials.

Results: 50% chose English and 50% chose Spanish language materials.100% of intervention completers (n=44, 18-70+ years), showed increases in knowledge of cervical cancer, the Pap Test, HPV vaccine and the Women's Health Check Program. Pre-intervention, 25% did not know that there was a vaccine for HPV, 18% had not heard of cervical cancer, and 44% had not heard about the Women's Health Check Program. Post intervention knowledge for these items was a 100%. With regard to intention to vaccinate for HPV, "How likely are you to get your child the HPV vaccine?" -- a 7 point LIKERT scale question with lower numbers reflecting more positive intention ---there was a significant mean difference in the total sample at pre (M = 2.07, SD = 1.44) and post (M = 1.23, SD = 0.53), F (1, 41) = 14.39, p < .001. Language choice (proxy for acculturation) was not a significant factor in intent to vaccinate F(1, 41) = 0.30, p = .588. Although not statistically significant, Spanish speakers showed a larger change in intention to vaccinate with mean scores of 2.14 to 1.18 compared to English speakers 2.00 to 1.41.

Discussion/Conclusion: All participants demonstrated increases in knowledge and intention to vaccinate. Results indicate that there was a significant movement in the report of increased intention to vaccinate children for HPV. The project shows that Latinas in rural SE Idaho lack knowledge of cervical cancer prevention and detection including the role of the HPV vaccine in the prevention of cervical and other associated cancers. Language choice indicates continued need for bilingual health education. Data shows that a community-based, bilingual intervention is effective in this community.

Keywords

HPV; Cervical Cancer; Pap Smears; Latinas; Community-Based Intervention

33 Changes in Knowledge of HPV, Cervical Cancer, PAP Smears, and Attitudes Towards HPV Vaccination from a Community-Based Intervention for Latinas Tarp, Phelps, and Fore



Journal of Health Disparities Research and Practice Volume 12, MW CTR-IN Special Issue, Summer 2019, pp. 33-34 © 2011 Center for Health Disparities Research School of Public Health University of Nevada, Las Vegas

Changes in Knowledge of HPV, Cervical Cancer, PAP Smears, and Attitudes Towards HPV vaccination from a Community-Based Intervention for Latinas

Helen C. Tarp, PhD, MPH Idaho State University, College of Arts and Sciences Paula Phelps, MHE, PA-C, Idaho State University, Division of Health Sciences Elizabeth Fore, PhD, Idaho State University, Division of Health Sciences *Corresponding Author*: Helen C. Tarp, tarphele@isu.edu

ABSTRACT

<u>Purpose/Background</u>: Latinas are 20% less likely to receive the HPV vaccine and, in Idaho, are 35% more likely to die of cervical cancer than non-Latinas -16.2/100,000 in Latinas vs. 7.6/100,000 non-Latinas-. Research indicates that this disparity is due to low health literacy, and barriers of language, culture, and poverty. This project's purpose was to assess the efficacy of a community-based intervention designed to increase rural Idaho Latina health literacy about cervical cancer prevention and detection, about the Women's Health Check program, and to assess participant attitudes towards child HPV vaccination.

Materials & Methods: Investigators trained six bilingual Latinas from rural SE Idaho as promotoras. Project investigators and promotoras created videos in English and in Spanish providing information about cervical cancer prevention, detection, treatment, the HPV vaccine, and the Women's Health Check Program. The promotoras identified Latina participants (n=44) from their communities, delivered educational materials in participant homes and at schools, and administered pre and post video surveys to assess changes in knowledge, attitudes and perceptions of cervical cancer, the Pap test, and the HPV vaccine. Participants, who were all Latinas, chose either English or Spanish language materials.

Results: 50% chose English and 50% chose Spanish language materials.100% of intervention completers (n=44, 18-70+ years), showed increases in knowledge of cervical cancer, the Pap Test, HPV vaccine and the Women's Health Check Program. Pre-intervention, 25% did not know that there was a vaccine for HPV, 18% had not heard of cervical cancer, and 44% had not heard about the Women's Health Check Program. Post intervention knowledge for these items was a 100%. With regard to intention to vaccinate for HPV, "How likely are you to get your child the HPV vaccine?" -- a 7 point LIKERT scale question with lower numbers reflecting more positive intention ---there was a significant mean difference in the total sample at pre (M = 2.07, SD = 1.44) and post (M = 1.23, SD = 0.53), F (1, 41) = 14.39, p < .001. Language choice (proxy

Journal of Health Disparities Research and Practice Volume 12, MW-CTRIN Special Issue, Summer 2019

http://digitalscholarship.unlv.edu/jhdrp/

Follow on Facebook: Health.Disparities.Journal

Follow on Twitter: @jhdrp

34 Changes in Knowledge of HPV, Cervical Cancer, PAP Smears, and Attitudes Towards HPV Vaccination from a Community-Based Intervention for Latinas Tarp, Phelps, and Fore

for acculturation) was not a significant factor in intent to vaccinate F(1, 41) = 0.30, p = .588. Although not statistically significant, Spanish speakers showed a larger change in intention to vaccinate with mean scores of 2.14 to 1.18 compared to English speakers 2.00 to 1.41.

<u>Discussion/Conclusion</u>: All participants demonstrated increases in knowledge and intention to vaccinate. Results indicate that there was a significant movement in the report of increased intention to vaccinate children for HPV. The project shows that Latinas in rural SE Idaho lack knowledge of cervical cancer prevention and detection including the role of the HPV vaccine in the prevention of cervical and other associated cancers. Language choice indicates continued need for bilingual health education. Data shows that a community-based, bilingual intervention is effective in this community.