



Potential Cost Savings of Not Doing CD4 Counts in HIV Positive People In Rhode Island With An Undetectable Viral Load

Journal of Health Disparities Research and Practice

Volume 9
Issue 5 *Special Issue - NIDDK STEP UP*

Article 5

© Center for Health Disparities Research, School of Public Health, University of Nevada, Las Vegas

2016

Potential Cost Savings of Not Doing CD4 Counts in HIV Positive People In Rhode Island With An Undetectable Viral Load

Ruth Dele-Oni

Ferdinand Schumacher , *Brown Medical School*

Zachary Markus , *Brown Medical School*

See next page for additional authors

Follow this and additional works at: <https://digitalscholarship.unlv.edu/jhdrp>



Part of the [Bilingual, Multilingual, and Multicultural Education Commons](#), [Community College Leadership Commons](#), [Higher Education Commons](#), [Immune System Diseases Commons](#), [Public Health Commons](#), [Translational Medical Research Commons](#), and the [Virus Diseases Commons](#)

Recommended Citation

Dele-Oni, Ruth; Schumacher, Ferdinand; Markus, Zachary; and Flanigan, MD, Timothy (2016) "Potential Cost Savings of Not Doing CD4 Counts in HIV Positive People In Rhode Island With An Undetectable Viral Load," *Journal of Health Disparities Research and Practice*: Vol. 9: Iss. 5, Article 5.

Available at: <https://digitalscholarship.unlv.edu/jhdrp/vol9/iss5/5>

This Article is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Article in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Article has been accepted for inclusion in Journal of Health Disparities Research and Practice by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact digitalscholarship@unlv.edu.

Potential Cost Savings of Not Doing CD4 Counts in HIV Positive People In Rhode Island With An Undetectable Viral Load

Abstract

CD4 cells fight infections in the body. When someone contracts Human Immunodeficiency Virus (HIV), their CD4 cells are taken over by HIV which turns them into manufacturers of many copies of the virus. The Viral Load (VL) measures the amount of virus in the blood. When HIV takes over the CD4 cells, the VL increases while the number of necessary CD4 cells decreases. When patients maintain stable treatment, their CD4 counts rise, and VLs may become undetectable, indicating the virus is too little to be detected in their blood. Knowing this, is frequent CD4 counts necessary for those with undetectable viral loads? We hypothesized that a lot of money can be saved by not performing CD4 counts in HIV patients that have undetectable VLs.

In Rhode Island, of the 2,000-3,000 people with HIV/AIDS, 1,500-2,000 are being treated. About 69% (average: 1,208) have undetectable VLs. Health organizations recommend CD4 counts be administered every 3-6 months. With the cost of CD4 tests averaging \$53, the frequency of testing can be costly. If undetectable patients get tested quarterly, the average cost would be \$256,096. If tested every 6 months, the average cost would be \$128,048.

Based on these calculations, if these tests were eliminated, Rhode Island could save substantial amounts of money over time. Eliminating tests for undetectable patients (abiding by the recommended 6 month checkup) would save an average of \$128,048 annually, an average of \$640,240 over 5 years, and an average of \$1,280,480 over 10 years.

Keywords

CD4; HIV; Viral Load

Authors

Ruth Dele-Oni; Ferdinand Schumacher; Zachary Markus; and Timothy Flanigan, MD



Potential Cost Savings of Not Doing CD4 Counts in HIV Positive People In Rhode Island With An Undetectable Viral Load

Ruth Dele-Oni

Ferdinand Schumacher, Brown Medical School

Zachary Markus, Brown Medical School

Timothy Flanigan, MD, The Miriam Hospital: Division of Infectious Diseases & Brown Medical School

Coordinating Center: Charles R. Drew University of Medicine and Science

ABSTRACT

CD4 cells fight infections in the body. When someone contracts Human Immunodeficiency Virus (HIV), their CD4 cells are taken over by HIV which turns them into manufacturers of many copies of the virus. The Viral Load (VL) measures the amount of virus in the blood. When HIV takes over the CD4 cells, the VL increases while the number of necessary CD4 cells decreases. When patients maintain stable treatment, their CD4 counts rise, and VLs may become undetectable, indicating the virus is too little to be detected in their blood. Knowing this, is frequent CD4 counts necessary for those with undetectable viral loads? We hypothesized that a lot of money can be saved by not performing CD4 counts in HIV patients that have undetectable VLs.

In Rhode Island, of the 2,000-3,000 people with HIV/AIDS, 1,500-2,000 are being treated. About 69% (average: 1,208) have undetectable VLs. Health organizations recommend CD4 counts be administered every 3-6 months. With the cost of CD4 tests averaging \$53, the frequency of testing can be costly. If undetectable patients get tested quarterly, the average cost would be \$256,096. If tested every 6 months, the average cost would be \$128,048.

Based on these calculations, if these tests were eliminated, Rhode Island could save substantial amounts of money over time. Eliminating tests for undetectable patients (abiding by the recommended 6 month checkup) would save an average of \$128,048 annually, an average of \$640,240 over 5 years, and an average of \$1,280,480 over 10 years.

Keywords: CD4, HIV, Viral Load

10 Potential Cost Savings of Not Doing CD4 Counts in HIV Positive People In Rhode Island With An Undetectable Viral Load
Dele-Oni et al.

ACKNOWLEDGEMENTS

The STEP-UP HS program is supported by the National Institute of Diabetes and Digestive and Kidney Diseases of the National Institutes of Health, Grant Number: 5R25DK078384-09.