



Glioblastoma Stem Cells

## Journal of Health Disparities Research and Practice

Volume 9  
Issue 5 *Special Issue - NIDDK STEP UP*

Article 17

© Center for Health Disparities Research, School of Public Health, University of Nevada, Las Vegas

2016

### Glioblastoma Stem Cells

Michael Quintero

Qi Cui , *City of Hope*

Yanhong Shi, PhD , *City of Hope*

Follow this and additional works at: <https://digitalscholarship.unlv.edu/jhdp>



Part of the [Bilingual, Multilingual, and Multicultural Education Commons](#), [Community College Leadership Commons](#), [Higher Education Commons](#), [Immune System Diseases Commons](#), [Public Health Commons](#), [Translational Medical Research Commons](#), and the [Virus Diseases Commons](#)

#### Recommended Citation

Quintero, Michael; Cui, Qi; and Shi, PhD, Yanhong (2016) "Glioblastoma Stem Cells," *Journal of Health Disparities Research and Practice*: Vol. 9: Iss. 5, Article 17.

Available at: <https://digitalscholarship.unlv.edu/jhdp/vol9/iss5/17>

This Article is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Article in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Article has been accepted for inclusion in Journal of Health Disparities Research and Practice by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact [digitalscholarship@unlv.edu](mailto:digitalscholarship@unlv.edu).

---

## Glioblastoma Stem Cells

### Abstract

Glioblastoma multiforme (GBM) is the most common and malignant primary brain tumor in humans. GBM accounts for 55% of all primary brain cancers, with a median survival rate of 14.6 months. The grim prognosis of GBM can be attributed to glioma stem cells (GSCs), which initiate tumor formation through the stem-like properties of self-renewal and differentiation. The ability of GSCs to resist radiation and chemotherapy contributes to the high rate of tumor recurrence in GBM patients. Consequently, novel therapies that effectively target the population of GSCs are of vital importance.

A promising is to induce the differentiation of GSCs. Previous studies show that inactivation of gene X enhances self-renewability in embryonic stem cells. Therefore, we hypothesized that gene X facilitates the resolution from self-renewability toward differentiation in GSCs.

In order to test this hypothesis, we made DNA constructs that overexpress or knockdown gene X. To overexpress gene X, the coding sequence was cloned into a shuttle vector pSKSP, and then sub-cloned into a lentiviral vector CSC. To knockdown gene X, the shRNA oligos were first cloned under the control of the U6 promoter. The U6-shRNA was then cloned into a lentiviral vector pHIV. After confirmation by sequencing, maxiprep of the DNA constructs was performed.

These constructs will be used to overexpress or knockdown gene X in GSCs to test GSC self-renewal and differentiation.

### Keywords

Glioblastoma Multiforme (GBM); Brain Tumor; Glioma Stem Cells



## **Glioblastoma Stem Cells**

Michael Quintero

Qi Cui, BS, City of Hope

Yanhong Shi, PhD, City of Hope

**Coordinating Center:** Charles R. Drew University of Medicine and Science

### **ABSTRACT**

Glioblastoma multiforme (GBM) is the most common and malignant primary brain tumor in humans. GBM accounts for 55% of all primary brain cancers, with a median survival rate of 14.6 months. The grim prognosis of GBM can be attributed to glioma stem cells (GSCs), which initiate tumor formation through the stem-like properties of self-renewal and differentiation. The ability of GSCs to resist radiation and chemotherapy contributes to the high rate of tumor recurrence in GBM patients. Consequently, novel therapies that effectively target the population of GSCs are of vital importance.

A promising is to induce the differentiation of GSCs. Previous studies show that inactivation of gene X enhances self-renewability in embryonic stem cells. Therefore, we hypothesized that gene X facilitates the resolution from self-renewability toward differentiation in GSCs.

In order to test this hypothesis, we made DNA constructs that overexpress or knockdown gene X. To overexpress gene X, the coding sequence was cloned into a shuttle vector pSKSP, and then sub-cloned into a lentiviral vector CSC. To knockdown gene X, the shRNA oligos were first cloned under the control of the U6 promoter. The U6-shRNA was then cloned into a lentiviral vector pHIV. After confirmation by sequencing, maxiprep of the DNA constructs was performed.

These constructs will be used to overexpress or knockdown gene X in GSCs to test GSC self-renewal and differentiation.

**Keywords:** Glioblastoma Multiforme (GBM), Brain Tumor, Glioma Stem Cells

### **ACKNOWLEDGEMENTS**

The STEP-UP HS program is supported by the National Institute of Diabetes and Digestive and Kidney Diseases of the National Institutes of Health, Grant Number: 5R25DK078384-09.