



The Association between Food Insecurity, Glycemic Control, Self-Care, and Quality of Life in Adults with Type 2 Diabetes

## Journal of Health Disparities Research and Practice

Volume 9  
Issue 5 *Special Issue - NIDDK STEP UP*

Article 20

© Center for Health Disparities Research, School of Public Health, University of Nevada, Las Vegas

2016

### The Association between Food Insecurity, Glycemic Control, Self-Care, and Quality of Life in Adults with Type 2 Diabetes

Allen Walters

Joni S. Williams, MD, MPH, *Medical University of South Carolina*

Leonard E. Egede, MD, MS, *Medical University of South Carolina*

Follow this and additional works at: <https://digitalscholarship.unlv.edu/jhdp>



Part of the [Bilingual, Multilingual, and Multicultural Education Commons](#), [Community College Leadership Commons](#), [Higher Education Commons](#), [Immune System Diseases Commons](#), [Public Health Commons](#), [Translational Medical Research Commons](#), and the [Virus Diseases Commons](#)

#### Recommended Citation

Walters, Allen; Williams, MD, MPH, Joni S.; and Egede, MD, MS, Leonard E. (2016) "The Association between Food Insecurity, Glycemic Control, Self-Care, and Quality of Life in Adults with Type 2 Diabetes," *Journal of Health Disparities Research and Practice*: Vol. 9: Iss. 5, Article 20.  
Available at: <https://digitalscholarship.unlv.edu/jhdp/vol9/iss5/20>

This Article is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Article in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Article has been accepted for inclusion in Journal of Health Disparities Research and Practice by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact [digitalscholarship@unlv.edu](mailto:digitalscholarship@unlv.edu).

---

# The Association between Food Insecurity, Glycemic Control, Self-Care, and Quality of Life in Adults with Type 2 Diabetes

## Abstract

Food insecurity is the inability to obtain adequate nutritious food. Therefore, the study assessed the relationship between food insecurity, glycemic control, self-care behaviors, and quality of life in adults with type 2 diabetes (T2DM).

Cross sectional study of 356 adults with T2DM recruited from an academic medical center and a veterans affairs medical center. The independent predictor was food insecurity, and the outcomes were glycosylated hemoglobin A1c, self-care behaviors, and quality of life (QOL). Logistic regression was used to assess the independent factors associated with food insecurity. Multiple linear regression was used to assess the association between food insecurity and outcomes. Stata was used for the analyses.

The majority (88%) was  $\geq 50$  years old, male (70%), and non-Hispanic black (55%). Thirty-five percent were food insecure. Compared to those who had 16 years of education were less likely to be food insecure (Odds ratio (OR) 0.25; 95% Confidence Interval (CI) 0.07, 0.92). Compared to those making  $< \$10,000$ , those with income levels of  $\$20,000$ – $\$34,999$  (OR 0.31; 95% CI 0.13, 0.74) and  $\geq \$35,000$  (OR 0.15, 95% 0.06, 0.38) were less likely to be food insecure. In adjusted modeling, food insecurity was marginally associated with glycemic control ( $\beta$  coefficient  $= -0.41$ ; 95% CI  $-0.85, 0.02$ ), and not significantly associated with self-care behaviors or QOL.

In this sample of adults with T2DM, food insecurity was significantly associated with education and income and marginally associated with glycemic control. Further research is needed to assess the relationship between these factors.

## Keywords

Food Insecurity; Type 2 Diabetes; Glycemic Control



**Journal of Health Disparities Research and Practice**  
**Volume 9 Special Edition 1, Summer 2016, pp. 32-33**  
© 2011 Center for Health Disparities Research  
School of Community Health Sciences  
University of Nevada, Las Vegas

## **The Association between Food Insecurity, Glycemic Control, Self-Care, and Quality of Life in Adults with Type 2 Diabetes**

Allen Walters

Joni Strom Williams, MD, MPH, Medical University of South Carolina

Leonard E. Egede, MD, MS, Center for Health Disparities Research, Medical University of South Carolina

**Coordination Center:** Charles R. Drew University of Medicine and Science

### **ABSTRACT**

Food insecurity is the inability to obtain adequate nutritious food. Therefore, the study assessed the relationship between food insecurity, glycemic control, self-care behaviors, and quality of life in adults with type 2 diabetes (T2DM).

Cross sectional study of 356 adults with T2DM recruited from an academic medical center and a veterans affairs medical center. The independent predictor was food insecurity, and the outcomes were glycosylated hemoglobin A1c, self-care behaviors, and quality of life (QOL). Logistic regression was used to assess the independent factors associated with food insecurity. Multiple linear regression was used to assess the association between food insecurity and outcomes. Stata was used for the analyses.

The majority (88%) was  $\geq 50$  years old, male (70%), and non-Hispanic black (55%). Thirty-five percent were food insecure. Compared to those who had <high school education, those with  $>16$  years of education were less likely to be food insecure (Odds ratio (OR) 0.25; 95% Confidence Interval (CI) 0.07, 0.92). Compared to those making  $<\$10,000$ , those with income levels of  $\$20,000$ – $\$34,999$  (OR 0.31; 95% CI 0.13, 0.74) and  $\geq \$35,000$  (OR 0.15, 95% 0.06, 0.38) were less likely to be food insecure. In adjusted modeling, food insecurity was marginally associated with glycemic control ( $\beta$  coefficient  $= -0.41$ ; 95% CI  $-0.85, 0.02$ ), and not significantly associated with self-care behaviors or QOL.

In this sample of adults with T2DM, food insecurity was significantly associated with education and income and marginally associated with glycemic control. Further research is needed to assess the relationship between these factors.

**Keywords:** Food Insecurity, Type 2 Diabetes, Glycemic Control

33 The Association between Food Insecurity, Glycemic Control, Self-Care, and Quality of Life in Adults with Type 2 Diabetes  
Walters, Williams, and Egede

#### **ACKNOWLEDGEMENTS**

The STEP-UP HS program is supported by the National Institute of Diabetes and Digestive and Kidney Diseases of the National Institutes of Health, Grant Number: 5R25DK078384-09.