



Low Alcohol Beneficial Effects on the Cardiac Function During Cardiac Hypertrophy

## Journal of Health Disparities Research and Practice

Volume 9  
Issue 5 *Special Issue - NIDDK STEP UP*

Article 25

© Center for Health Disparities Research, School of Public Health, University of Nevada, Las Vegas

2016

### Low Alcohol Beneficial Effects on the Cardiac Function During Cardiac Hypertrophy

Kiera Williams

Georges E. Haddad, PhD , *Howard University*

Sima Tarzami, PhD , *Howard University*

*See next page for additional authors*

Follow this and additional works at: <https://digitalscholarship.unlv.edu/jhdrp>



Part of the [Bilingual, Multilingual, and Multicultural Education Commons](#), [Community College Leadership Commons](#), [Higher Education Commons](#), [Immune System Diseases Commons](#), [Public Health Commons](#), [Translational Medical Research Commons](#), and the [Virus Diseases Commons](#)

#### Recommended Citation

Williams, Kiera; Haddad, PhD, Georges E.; Tarzami, PhD, Sima; and Baker, Mustafa (2016) "Low Alcohol Beneficial Effects on the Cardiac Function During Cardiac Hypertrophy," *Journal of Health Disparities Research and Practice*: Vol. 9: Iss. 5, Article 25.

Available at: <https://digitalscholarship.unlv.edu/jhdrp/vol9/iss5/25>

This Article is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Article in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Article has been accepted for inclusion in Journal of Health Disparities Research and Practice by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact [digitalscholarship@unlv.edu](mailto:digitalscholarship@unlv.edu).

---

## Low Alcohol Beneficial Effects on the Cardiac Function During Cardiac Hypertrophy

### Abstract

Chronic low alcohol exposure has been shown clinically to have beneficial cardiac effects; whereas chronic high alcohol consumption can lead to heart failure. We have previously shown that cardiac inotropy is closely related to the activation of the survival PI3K/Akt.

This study aimed to determine the effects of chronic low and high alcohol on cardiac function as well as to determine if low alcohol can alleviate the development of volume-overload-dependent (shunt) cardiac hypertrophy.

Littermate adult rats were put on a 3-months isocaloric Lieber-Decarli liquid diet with either low alcohol (LA: 5mM) or high alcohol (HA: 100mM) levels. The rats were further divided into sham or shunted group. The measured final blood alcohol concentrations were 0.02% and 0.20% respectively. *In vivo* intra-ventricular catheterization (Scisense/iWorks) of the left ventricle (LV) showed that an improved LV contractility and ejection fraction of the LA group while the opposite occurred with the HA group.

Since we currently do not have all experimental results, our partial results show that shunted rats developed eccentric cardiac hypertrophy as expected, which was exacerbated by high alcohol consumption, whereas low alcohol seems to alleviate the effect of volume-overload on the cardiac function to a certain extent.

The results of the present study suggest that there is an association between alcohol intake and cardiac function; chronic low alcohol exposure seems to have beneficial cardiac effects; whereas chronic high alcohol consumption is associated with reduced cardiac contractile function and could lead to heart failure over the time.

### Keywords

Chronic Low Alcohol Exposure; Cardiac Hypertrophy

### Authors

Kiera Williams; Georges E. Haddad, PhD; Sima Tarzami, PhD; and Mustafa Baker



**Journal of Health Disparities Research and Practice**  
**Volume 9, Special Edition 1, Summer 2016, pp. 40-41**  
© 2011 Center for Health Disparities Research  
School of Community Health Sciences  
University of Nevada, Las Vegas

## **Low Alcohol Beneficial Effects on the Cardiac Function During Cardiac Hypertrophy**

Kiera Williams

Georges E. Haddad, Ph.D., Howard University

Sima Tarzami, Ph.D., Howard University

Mustafa Baker, Howard University

**Coordinating Center:** Charles R. Drew University of Medicine and Science

### **ABSTRACT**

Chronic low alcohol exposure has been shown clinically to have beneficial cardiac effects; whereas chronic high alcohol consumption can lead to heart failure. We have previously shown that cardiac inotropy is closely related to the activation of the survival PI3K/Akt.

This study aimed to determine the effects of chronic low and high alcohol on cardiac function as well as to determine if low alcohol can alleviate the development of volume-overload-dependent (shunt) cardiac hypertrophy.

Littermate adult rats were put on a 3-months isocaloric Lieber-Decarli liquid diet with either low alcohol (LA: 5mM) or high alcohol (HA: 100mM) levels. The rats were further divided into sham or shunted group. The measured final blood alcohol concentrations were 0.02% and 0.20% respectively. *In vivo* intra-ventricular catheterization (Scisense/iWorks) of the left ventricle (LV) showed that an improved LV contractility and ejection fraction of the LA group while the opposite occurred with the HA group.

Since we currently do not have all experimental results, our partial results show that shunted rats developed eccentric cardiac hypertrophy as expected, which was exacerbated by high alcohol consumption, whereas low alcohol seems to alleviate the effect of volume-overload on the cardiac function to a certain extent.

The results of the present study suggest that there is an association between alcohol intake and cardiac function; chronic low alcohol exposure seems to have beneficial cardiac effects; whereas chronic high alcohol consumption is associated with reduced cardiac contractile function and could lead to heart failure over the time.

**Keywords:** Chronic Low Alcohol Exposure, Cardiac Hypertrophy

#### **ACKNOWLEDGEMENTS**

The STEP-UP HS program is supported by the National Institute of Diabetes and Digestive and Kidney Diseases of the National Institutes of Health, Grant Number: 5R25DK078384-09.