



Species Diversity and Population Structure in Worm-snails of the *Dendropoma* genus in Palau

Journal of Health Disparities Research and Practice

Volume 9
Issue 5 Special Issue - NIDDK STEP UP

Article 36

© Center for Health Disparities Research, School of Public Health, University of Nevada, Las Vegas

2016

Species Diversity and Population Structure in Worm-snails of the *Dendropoma* genus in Palau

Masasinge Hideos

Julien Lorion, PhD , *Palau Community College*

Kelutel Yoshiwo , *Palau Community*

Follow this and additional works at: <https://digitalscholarship.unlv.edu/jhdrp>



Part of the [Bilingual, Multilingual, and Multicultural Education Commons](#), [Community College Leadership](#)

[Commons](#), [Higher Education Commons](#), [Immune System Diseases Commons](#), [Public Health Commons](#), [Translational Medical Research Commons](#), and the [Virus Diseases Commons](#)

Recommended Citation

Hideos, Masasinge; Lorion, PhD, Julien; and Yoshiwo, Kelutel (2016) "Species Diversity and Population Structure in Worm-snails of the *Dendropoma* genus in Palau," *Journal of Health Disparities Research and Practice*: Vol. 9: Iss. 5, Article 36.

Available at: <https://digitalscholarship.unlv.edu/jhdrp/vol9/iss5/36>

This Article is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Article in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Article has been accepted for inclusion in *Journal of Health Disparities Research and Practice* by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact digitalscholarship@unlv.edu.

Species Diversity and Population Structure in Worm-snails of the *Dendropoma* genus in Palau

Abstract

This report is a preliminary analysis of the mitochondrial genetic diversity of worm-snails (Gastropods, Vermetidae) in Palau. Worm-snails are suspension-feeding gastropods that have tubular uncoiled shells attached to the substrate. Some aggregate to form reefs of their own, forming mats along the water's edge. They are here used as a model to understand connectivity of populations across Palau.

Samples were collected at 12 different areas with a total of 199 samples overall. Samples were dissected to extract DNA and a fragment of the COI mtDNA gene was then amplified by PCR and sequenced. Pairwise genetic distances were calculated with the software Mega v5.2.2 and used to build a histogram and a distance tree.

Results showed that there were a total of 5 groups of species across Palau. Four out of the five species had limited ranges but the last one was widely distributed. The results highlight a strong spatial genetic structure among populations that suggest long-term isolation coupled or not with selective processes.

Keywords

Worm-Snails; *Dendropoma*; Vermetidae



Journal of Health Disparities Research and Practice
Volume 9, Special Edition 1, Summer 2016, pp. 56
© 2011 Center for Health Disparities Research
School of Community Health Sciences
University of Nevada, Las Vegas

Species diversity and population structure in worm-snails of the *Dendropoma* genus in Palau

Masasinge Hideos

Julien Lorion, PhD, Palau Community College

Kelutel Yoshiwo, Palau Community College

Coordinating Center: University of Hawaii John A. Burns School of Medicine

ABSTRACT

This report is a preliminary analysis of the mitochondrial genetic diversity of worm-snails (Gastropods, Vermetidae) in Palau. Worm-snails are suspension-feeding gastropods that have tubular uncoiled shells attached to the substrate. Some aggregate to form reefs of their own, forming mats along the water's edge. There are here used as a model to understand connectivity of populations across Palau.

Samples were collected at 12 different areas with a total of 199 samples overall. Samples were dissected to extract DNA and a fragment of the COI mtDNA gene was then amplified by PCR and sequenced. Pairwise genetic distances were calculated with the software Mega v5.2.2 and used to build a histogram and a distance tree.

Results showed that there were a total of 5 groups of species across Palau. Four out of the five species had limited ranges but the last one was widely distributed. The results highlight a strong spatial genetic structure among populations that suggest long-term isolation coupled or not with selective processes.

Key Words: Worm-Snails, *Dendropoma*, Vermetidae

ACKNOWLEDGEMENTS

The STEP-UP HS program is supported by the National Institute of Diabetes and Digestive and Kidney Diseases of the National Institutes of Health, Grant number: R25DK078386.