



The Genetic and Environmental Etiology of Schizophrenia in Palau

Journal of Health Disparities Research and Practice

Volume 9
Issue 5 *Special Issue - NIDDK STEP UP*

Article 38

© Center for Health Disparities Research, School of Public Health, University of Nevada, Las Vegas

2016

The Genetic and Environmental Etiology of Schizophrenia in Palau

Elora James

William Byerley, MD , *University of San Francisco*

Christopher U. Kitalong, PhD , *Pacific Academic Institute for Research and Palau Community College*

Follow this and additional works at: <https://digitalscholarship.unlv.edu/jhdrp>



Part of the [Bilingual, Multilingual, and Multicultural Education Commons](#), [Community College Leadership Commons](#), [Higher Education Commons](#), [Immune System Diseases Commons](#), [Public Health Commons](#), [Translational Medical Research Commons](#), and the [Virus Diseases Commons](#)

Recommended Citation

James, Elora; Byerley, MD, William; and Kitalong, PhD, Christopher U. (2016) "The Genetic and Environmental Etiology of Schizophrenia in Palau," *Journal of Health Disparities Research and Practice*: Vol. 9: Iss. 5, Article 38.

Available at: <https://digitalscholarship.unlv.edu/jhdrp/vol9/iss5/38>

This Article is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Article in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Article has been accepted for inclusion in Journal of Health Disparities Research and Practice by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact digitalscholarship@unlv.edu.

The Genetic and Environmental Etiology of Schizophrenia in Palau

Abstract

Schizophrenia is a chronic, severe, and disabling brain disorder that has been affecting people throughout the world. There is an established worldwide 1% average prevalence of schizophrenia; however there are high degrees of variability between different regions. Palau, an oceanic nation located in Micronesia, has an abnormally high prevalence rate of schizophrenia at 1.99%. When separated by gender, women have abnormal prevalence rate of 1.24%, while the men have a high prevalence rate of 2.77%, which is over twice the average worldwide. There has been a plethora of research conducted over the years to determine the genetic and environmental etiology of schizophrenia in Palau. Palau's somewhat isolated and small population offer the advantage of a valuable insular population for the study of genetic etiology of schizophrenia because there may be fewer susceptibility genes for schizophrenia than in heterogeneous populations throughout the world.

Recent studies have highlighted that schizophrenia in Palau is a complex genetic disease, yet is also greatly influenced by certain environmental factors. As part of the research, blood and tissue samples from 160 schizophrenic Palauan patients were sampled. In addition, 400 relatives of the patients were reviewed and shown as unaffected by the disease; although there were first and second-degree relatives who were affected. The patients were also interviewed frequently about relevant matters, such as their diet and daily activities. By examining these studies, I was able to determine that many environmental factors may be involved with the disease, such as exposure to viruses, heavy marijuana use, malnutrition before birth, and other not yet known psychosocial factors. Because of Palau's intricately, interconnected families and small population and isolation, it has a high prevalence rate of schizophrenia.

Keywords

Palau; Schizophrenia; Prevalence; Micronesia



Journal of Health Disparities Research and Practice
Volume 9, Special Edition 1, Summer 2016, pp. 59-60
© 2011 Center for Health Disparities Research
School of Community Health Sciences
University of Nevada, Las Vegas

The Genetic and Environmental Etiology of Schizophrenia in Palau

Elora James

William Byerley, MD, University of San Francisco

Christopher U. Kitalong, PhD, Pacific Academic Institute for Research and Palau Community College

Coordinating Center: University of Hawaii John A. Burns School of Medicine

ABSTRACT

Schizophrenia is a chronic, severe, and disabling brain disorder that has been affecting people throughout the world. There is an established worldwide 1% average prevalence of schizophrenia; however there are high degrees of variability between different regions. Palau, an oceanic nation located in Micronesia, has an abnormally high prevalence rate of schizophrenia at 1.99%. When separated by gender, women have abnormal prevalence rate of 1.24%, while the men have a high prevalence rate of 2.77%, which is over twice the average worldwide. There has been a plethora of research conducted over the years to determine the genetic and environmental etiology of schizophrenia in Palau. Palau's somewhat isolated and small population offer the advantage of a valuable insular population for the study of genetic etiology of schizophrenia because there may be fewer susceptibility genes for schizophrenia than in heterogeneous populations throughout the world.

Recent studies have highlighted that schizophrenia in Palau is a complex genetic disease, yet is also greatly influenced by certain environmental factors. As part of the research, blood and tissue samples from 160 schizophrenic Palauan patients were sampled. In addition, 400 relatives of the patients were reviewed and shown as unaffected by the disease; although there were first and second-degree relatives who were affected. The patients were also interviewed frequently about relevant matters, such as their diet and daily activities. By examining these studies, I was able to determine that many environmental factors may be involved with the disease, such as exposure to viruses, heavy marijuana use, malnutrition before birth, and other not yet known psychosocial factors. Because of Palau's intricately, interconnected families and small population and isolation, it has a high prevalence rate of schizophrenia.

Key Words: Palau, Schizophrenia, Prevalence, Micronesia

ACKNOWLEDGEMENTS

60 The Genetic and Environmental Etiology of Schizophrenia in Palau
James, Byerley, and Kitalong

The STEP-UP HS program is supported by the National Institute of Diabetes and Digestive and Kidney Diseases of the National Institutes of Health, Grant number: R25DK078386