



Polymorphisms in Alcohol Dehydrogenase (ADH): A case study on the effects of ADH and ALDH on alcoholism among Native American population

Journal of Health Disparities Research and Practice

Volume 9
Issue 5 Special Issue - NIDDK STEP UP

Article 87

© Center for Health Disparities Research, School of Public Health, University of Nevada, Las Vegas

2016

Polymorphisms in Alcohol Dehydrogenase (ADH): A case study on the effects of ADH and ALDH on alcoholism among Native American population

Sage Bingaman

Jeevan Baretto, PhD , *The Ohio State University, Columbus State Community College*

Follow this and additional works at: <https://digitalscholarship.unlv.edu/jhdp>



Part of the [Bilingual, Multilingual, and Multicultural Education Commons](#), [Community College Leadership Commons](#), [Higher Education Commons](#), [Immune System Diseases Commons](#), [Public Health Commons](#), [Translational Medical Research Commons](#), and the [Virus Diseases Commons](#)

Recommended Citation

Bingaman, Sage and Baretto, PhD, Jeevan (2016) "Polymorphisms in Alcohol Dehydrogenase (ADH): A case study on the effects of ADH and ALDH on alcoholism among Native American population," *Journal of Health Disparities Research and Practice*: Vol. 9: Iss. 5, Article 87.

Available at: <https://digitalscholarship.unlv.edu/jhdp/vol9/iss5/87>

This Article is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Article in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Article has been accepted for inclusion in Journal of Health Disparities Research and Practice by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact digitalscholarship@unlv.edu.

Polymorphisms in Alcohol Dehydrogenase (ADH): A case study on the effects of ADH and ALDH on alcoholism among Native American population

Abstract

Genetic variations in an individual affects the way alcohol is metabolized in the body. Alcohol Dehydrogenase (ADH) and Aldehyde Dehydrogenase (ALDH) are the two known enzymes that participate in alcohol metabolism. Polymorphisms of these enzymes are reported to make one more or less susceptible to alcoholism in some ethnic groups. The current study is a review of various articles highlighting the effects of ADH and ALDH on different populations.

A study of 26 Native American, 21 Inuit, and 17 caucasian ethnic groups revealed the influence of ADH and ALDH on alcohol dependence. In one of the studies, different ADH allele populations were studied and found that the presence of ADH1B*1 allele led to increase in alcoholism whereas ADH1B*2 and ADH1B*3 alleles led to decrease in alcoholism. In another study, each participant was given alcohol intravenously until their blood alcohol was at approximately 125 mg.%. The rate of metabolism was calculated using body weight, concentration of alcohol, and the time it took for blood alcohol levels to reach a desired amount. The rate of decline of alcohol metabolism among Caucasian was 0.370 mg.% per minute, Native American 0.259 mg.% per minute, and the Inuit population 0.264 mg.% per minute. The study found that the Native American and Inuit rate of decline were similar, and the alcohol metabolism is much slower than the Caucasian counterparts. ADH polymorphism affects the ability to metabolize alcohol at different rates among different ethnicities.

Keywords

Alcoholism; Polymorphism; Native American; Alcohol Metabolism



Journal of Health Disparities Research and Practice
Volume 9, Special Edition 1, Summer 2016, pp. 125
© 2011 Center for Health Disparities Research
School of Community Health Sciences
University of Nevada, Las Vegas

Polymorphisms in Alcohol Dehydrogenase (ADH): A case study on the effects of ADH and ALDH on alcoholism among Native American population

Sage Bingaman

Jeevan Baretto, PhD, The Ohio State University, Columbus State Community College

Coordinating Center: University of Nevada Las Vegas

ABSTRACT

Genetic variations in an individual affects the way alcohol is metabolized in the body. Alcohol Dehydrogenase (ADH) and Aldehyde Dehydrogenase (ALDH) are the two known enzymes that participate in alcohol metabolism. Polymorphisms of these enzymes are reported to make one more or less susceptible to alcoholism in some ethnic groups. The current study is a review of various articles highlighting the effects of ADH and ALDH on different populations. A study of 26 Native American, 21 Inuit, and 17 caucasian ethnic groups revealed the influence of ADH and ALDH on alcohol dependence. In one of the studies, different ADH allele populations were studied and found that the presence of ADH1B*1 allele led to increase in alcoholism whereas ADH1B*2 and ADH1B*3 alleles led to decrease in alcoholism. In another study, each participant was given alcohol intravenously until their blood alcohol was at approximately 125 mg.%. The rate of metabolism was calculated using body weight, concentration of alcohol, and the time it took for blood alcohol levels to reach a desired amount. The rate of decline of alcohol metabolism among Caucasian was 0.370 mg.% per minute, Native American 0.259 mg.% per minute, and the Inuit population 0.264 mg.% per minute. The study found that the Native American and Inuit rate of decline were similar, and the alcohol metabolism is much slower than the Caucasian counterparts. ADH polymorphism affects the ability to metabolize alcohol at different rates among different ethnicities.

Key Words: Alcoholism, Polymorphism, Native American, Alcohol Metabolism

ACKNOWLEDGEMENTS

The STEP-UP HS program is supported by the National Institute of Diabetes and Digestive and Kidney Diseases of the National Institutes of Health, Grant number: 1R25DK098067-01.