

1-13-2005

Use of Positron Annihilation Spectroscopy for Stress-Strain Measurements: Quarterly Progress Report (September 01 – November 30, 2004)

Ajit K. Roy

University of Nevada, Las Vegas, aroy@unlv.nevada.edu

Follow this and additional works at: https://digitalscholarship.unlv.edu/hrc_trp_sciences_materials



Part of the [Metallurgy Commons](#), [Nuclear Engineering Commons](#), and the [Oil, Gas, and Energy Commons](#)

Repository Citation

Roy, A. K. (2005). Use of Positron Annihilation Spectroscopy for Stress-Strain Measurements: Quarterly Progress Report (September 01 – November 30, 2004). 1-3.

Available at: https://digitalscholarship.unlv.edu/hrc_trp_sciences_materials/110

This Report is protected by copyright and/or related rights. It has been brought to you by Digital Scholarship@UNLV with permission from the rights-holder(s). You are free to use this Report in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/or on the work itself.

This Report has been accepted for inclusion in Transmutation Sciences Materials (TRP) by an authorized administrator of Digital Scholarship@UNLV. For more information, please contact digitalscholarship@unlv.edu.

Quarterly Progress Report
(September 01 – November 30, 2004)

Use of Positron Annihilation Spectroscopy for Stress-Strain Measurements

TRP Task-14

Principal Investigator
Ajit K. Roy, Ph.D.
Associate Professor

Investigators
Subhra Bandyopadhyay, M.S. Student
Silpa Budugur Suresh, M.S. Student

University of Nevada Las Vegas

January 13, 2005

Use of Positron Annihilation Spectroscopy for Stress-Strain Measurements

Introduction

The purpose of this collaborative research project involving the University of Nevada Las Vegas (UNLV), the Idaho State University (ISU), and the Los Alamos National Laboratory (LANL) is to evaluate the feasibility of determining residual stresses in cold-worked, plastically-deformed (bent), and welded materials using a nondestructive method based on positron annihilation spectroscopy (PAS). This technique uses γ -rays from a small MeV electron Linac to generate positrons inside the sample via pair production. This method is known to have capabilities of characterizing defects in thick specimens that could not be accomplished by conventional positron technique or other nondestructive methods. The data generated by the PAS method has been compared to those obtained by other methods such as neutron diffraction (ND), X-ray diffraction (for thin specimens), and ring-core (destructive-for thick specimens) techniques. During the initial phase of this task residual stresses induced in experimental heats of austenitic type 304L stainless steel, and martensitic Alloy EP-823 have been determined by X-ray diffraction (XRD), PAS and ring-core (RC) techniques. More recently, residual stress measurements have been performed on Alloy HT-9 subjected to cold deformation and welding using all four techniques. The current testing is focused on the evaluation of residual stresses in irradiated materials (welded/plastically-deformed), and welded specimens, with and without post-weld-thermal-treatment (PWTT). Transmission electron microscopic analyses are also being performed.

Personnel

The current project participants are listed below.

Principal Investigator (PI): Dr. Ajit K. Roy
Department of Mechanical Engineering, UNLV
Phone: (702) 895-1463 email: aroy@unlv.nevada.edu

Investigators (UNLV): Subhra Bandyopadhyay, Department of Mechanical Engineering
Silpa Budugur Suresh, Department of Mechanical Engineering

Subhra: Phone: (702) 510-2716 email: bandyopa@unlv.nevada.edu
Silpa: Phone: (702) 595-9111 email: budugurs@unlv.nevada.edu

Collaborators (DOE): Dr. Stuart A. Maloy, Los Alamos National Laboratory
Phone: (505) 667-9784 email: Maloy@lanl.gov

Dr. Doug Wells, Idaho State University
Phone: (208) 282-3986 email: Wells@athena.physics.isu.edu

Dr. Farida Selim, Idaho State University
Phone: (208) 232-0572 email: Selim@athena.physics.isu.edu

Accomplishments:

- A technical paper titled “Residual Stress Characterization in Structural Materials by Destructive and Nondestructive Techniques” has been accepted for publication in the *Journal of Materials Engineering and Performance*, ASM International, Ohio.
- The PAS method has been applied to develop calibration curves for line shape parameters (S and T) using unstressed and stressed (different magnitude) tensile specimens of martensitic stainless steels. These curves will enable the determination of residual stresses in plastically-deformed materials once the magnitude of S or T parameter is determined by the PAS technique.
- The tensile and welded specimens have been irradiated by low energy photon beam at ISU to compare the residual stresses, with and without radiation.
- Measurements of residual stresses have been performed by the PAS technique on both welded and post-weld thermally-treated specimens to evaluate the effect of thermal treatment on the residual stresses generated due to welding.
- Use of transmission electron microscopy (TEM) has been initiated to analyze voids and dislocations in cold-worked/welded materials.

Problem:

No problems are anticipated.

Status of Funds

Expenditures incurred during this quarter are within the target amount allocated.

Plans for the next quarter

- Continuation of planned testing and analyses of the resultant data.
- Performance of additional residual stress measurements by ND method at AECL
- Continuation of literature search
- Standardization of the PAS technique for residual stress evaluation in specimens of different configurations.